



5 PANEL TRACK / HAND DRAWN

High quality aluminium 5-way hand drawn panel track. The ideal solution for covering larger windows and doors. Can also be used as visual room dividers. Panels are easy to remove for cleaning.

INFO

Applications: Domestic Use: Panel track systems Mounting: All brackets, supports and ceiling/wall brackets Material: Aluminium alloy 6060/T6 Colours: White Accessories: Plastic/metal Track width: 6 mm Ext. dimensions: 87 mm x 15.4 mm

Length: 600 cm Thickness: 1.0 -1.2 mm Load per mtr: Maximum 6 kg Bending: No Recommended glider: 5430 Panel Track Hand Drawn standard:

- One way draw
- 5 panels LHS
- Draw rod


MOUNTING OPTIONS



COLOURS



White



STANDARD COMPONENTS / 5 PANEL TRACK / HAND DRAWN

Picture	Code	Description	Colour	Box Quantity
	5405	5 track panel profile	White	10 x 6 m
是	5411	End cap for uncorded 5 track profiles	White	25 pcs
	5430	Panel holder profile with hook velcro	White	10 x 6m
	5418	Roller carrier for 5430	White	100 pcs
	5419	Roller carrier for 5430 with eye	White	100 pcs
	5422	T-Stop angle for 5430	White	100 pcs
	5423	Sloping stop-angle for 5430	White	100 pcs
	5424	L-Stop for 5430	White	100 pcs
	5428	Twist ceiling bracket for 5405	Metal	100 pcs
₩	5044	Stop screw	Metal	100 pcs
	2995/6	Aluminium bottom-weight (162g, 20 x 3mm)	White	30 x 6m
	101.072	20mm Velcro loop tape (sew on)	White	25 mtr
	1276	100cm Plastic coated draw rod	White	25 pcs

ACCESSORIES / 5 PANEL TRACK / HAND DRAWN

Picture	Code	Description	Colour	Box Quantity
	560-07	7 cm Wall L-Bracket (40 x 67)	White	25 pcs
	560-09	9 cm Wall L-Bracket (40 x 87)	White	25 pcs
	54021	Joiner 5 track profiles	Silver	1 pcs





5 PANEL TRACK / CORD DRAWN

High quality aluminium 5-way panel track with cord operation. The ideal solution for covering larger windows and doors. Can also be used as visual room dividers. Panels are easy to remove for cleaning.

INFO

Applications : Domestic Use : Panel track systems Mounting : Ceiling, Wall

Material : Aluminium alloy 6060/T6

Colours: White

Accessories: Plastic/metal

Track width: 6 mm

Ext. dimensions: 87 mm x 15.4 mm

Length: 600 cm Thickness: 1.0 -1.2 mm Load per mtr: Maximum 6 kg

Bending : No

Recommended glider: 5430

Panel Track Cord Drawn standard:

- $\bullet \qquad \text{Single cord LHS}$
- One way draw
- 250cm cord drop


MOUNTING OPTIONS



COLOURS



White





STANDARD COMPONENTS / 5 PANEL TRACK / CORD DRAWN

Picture	Code	Description	Colour	Box Quantity
CAUGINA NO.	5405	5 track panel profile	White	10 x 6 m
	5415	End cap for corded 5 track profiles	White	25 pcs
	5430	Panel holder profile with hook velcro	White	10 x 6m
	5418	Roller carrier for 5430	White	100 pcs
	5419	Roller carrier for 5430 with eye	White	100 pcs
4	5422	T-Stop angle for 5430	White	100 pcs
	5423	Sloping stop-angle for 5430	White	100 pcs
Q.	5424	L-Stop for 5430	White	100 pcs
	5428	Twist ceiling bracket for 5405	Metal	100 pcs
*	5044	Stop screw	Metal	100 pcs
	2995/6	Aluminium bottom-weight (162 g, 20 x 3mm)	White	30 x 6m
	101.072	20mm Velcro loop tape (sew on)	White	25 mtr
	5416	Stop ring for cord	White	100 pcs
	5417	Guide for cord	White	100 pcs
TO STORE AND	410863	3mm Cord	White	200 mtr roll
	6124	Cord tensioner	Silver	1 pcs

ACCESSORIES / 5 PANEL TRACK / CORD DRAWN

Picture	Code	Description	Colour	Box Quantity
	560-07	7 cm Wall L-Bracket (40 x 67)	White	25 pcs
	560-09	9 cm Wall L-Bracket (40 x 87)	White	25 pcs
	54021	Joiner 5 track profiles	Silver	1 pcs